

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039 Expires 9-30-99

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. WAD980738546		Manifest Document No. 32616		2. Page 1 of 1		Information in the shaded areas is not required by Federal law.							
3. Generator's Name and Mailing Address ALASKAN COPPER WORKS 3200 6TH AVE S SEATTLE WA 98124						A. State Manifest Document Number									
4. Generator's Phone (206) 623-5800						B. State Generator's ID									
5. Transporter 1 Company Name SAFETY-KLEEN SYSTEMS, INC				6. US EPA ID Number SCR000075150		C. State Transporter's ID									
7. Transporter 2 Company Name				8. US EPA ID Number		D. Transporter's Phone 425 775-7030									
9. Designated Facility Name and Site Address SAFETY-KLEEN SYSTEMS, INC. 16540 SE 130TH AVE BLDG B CLACKAMAS OR 97015				10. US EPA ID Number ORD981766124		E. State Transporter's ID									
						F. Transporter's Phone									
						G. State Facility's ID									
						H. Facility's Phone 503 657-7033									
11. US DOT Description (Including Proper Shipping Name, Hazard Class and ID Number)						12. Containers No. Type		13. Total Quantity		14. Unit Wt/Vol		15. Waste No.			
a. <input checked="" type="checkbox"/> HM WASTE COMBUSTIBLE LIQUID, N.O.S. (PETROLEUM NAPHTHA) NA1993 PGIII (ERG#128) 6.7LBS/GAL (D039)						1 DM		17 G		D039 C		D039			
b.															
c.															
d.															
J. Additional Descriptions for Materials Listed Above						K. Handling Codes for Wastes Listed Above									
15. Special Handling Instructions and Additional Information EMERGENCY RESP 800-468-1760(24 HR). IF UNDELIVERABLE RETURN TO GENERATOR. SEE ATTACHMENT SKDOT# A: 717 B: C: D:															
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.															
Printed/Typed Name GERRARD A. Thompson						Signature 						Date Month Day Year 04 11 01			
17. Transporter 1 Acknowledgement of Receipt of Materials						Printed/Typed Name Tim Gough Safety-Kleen Systems Inc						Signature 		Date Month Day Year 04 11 01	
18. Transporter 2 Acknowledgement of Receipt of Materials						Printed/Typed Name						Signature		Date Month Day Year	
19. Discrepancy Indication Space															
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.															
Printed/Typed Name Michael Thomas						Signature Michael Thomas						Date Month Day Year 10 17 01			

EPA Form 8700-22 (Rev. 9-88) previous editions obsolete

ORIGINAL-RETURN TO GENERATOR

SAFETY-KLEEN CORP.

90290 (Rev 11/98)

6

INSTRUCTIONS FOR COMPLETION OF THIS FORM, REFER CODE OF FEDERAL REGULATIONS, 40, PART 262.20.

AKC-0017293

Public reporting burden for this collection of information is estimated to average: 37 minutes for generators, 15 minutes for transporters, and 10 minutes for disposal facilities. This includes time for reviewing instructions, gathering data, and completing and reviewing the form. Send comments regarding the burden estimate, including suggestions for reducing this burden, to: Chief, Information Policy Branch, PM-223, U.S. Environmental Protection Agency, 401 M Street, SW, Washington, DC 20460; and to the Office of Information and Regulatory Affairs, Office of Management and Budget, Washington, DC 20503.

9-092-01

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039 Expires 9-30-99

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No.		2. Page 1 of	Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address ALASKAN COPPER WORKS 3200 6TH AVE S SEATTLE WA 98124				A. State Manifest Document Number			
4. Generator's Phone (206 623-5800)				B. State Generator's ID			
5. Transporter 1 Company Name SAFETY-KLEEN SYSTEMS, INC		6. US EPA ID Number SCRO00075150		C. State Transporter's ID			
7. Transporter 2 Company Name		8. US EPA ID Number		D. Transporter's Phone 825 775-7030			
9. Designated Facility Name and Site Address 000789 SAFETY-KLEEN SYSTEMS, INC. 16540 SE 130TH AVE BLDG B CLACKAMAS OR 97015				E. State Transporter's ID			
10. US EPA ID Number ORD981766124				F. Transporter's Phone			
				G. State Facility's ID			
				H. Facility's Phone 503 657-7033			
11. US DOT Description (Including Proper Shipping Name, Hazard Class and ID Number)				12. Containers No.	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. HM X WASTE COMBUSTIBLE LIQUID, N.O.S. (PETROLEUM NAPHTHA) NA1993 PGIII (ERG#128) 6.7 LBS/GAL (D039)				17 DM	17 G	9	D039-C 1031
b.							
c.							
d.							
J. Additional Descriptions for Materials Listed Above				K. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information EMERGENCY RESP 800-468-1760 (24 HR). IF UNDELIVERABLE RETURN TO GENERATOR. SEE ATTACHMENT SKDOT# A: 717 B: C: D:							
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.							
Printed/Typed Name				Signature		Date Month Day Year	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature		Date Month Day Year	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.							
Printed/Typed Name				Signature		Date Month Day Year	

EPA Form 8700-22 (Rev. 9-88) previous editions obsolete

GENERATOR COPY

SAFETY-KLEEN CORP.

90290 (Rev 11/98)

6

INSTRUCTIONS FOR COMPLETION OF THIS FORM, REFER CODE OF FEDERAL REGULATIONS, 40, PART 262.20.

AKC-0017294



LAND DISPOSAL RESTRICTION AND WASTE ANALYSIS CRITERIA FORM

PHASE II GENERATOR IS NOT REQUIRED TO LIST UNDERLYING CONSTITUENTS BECAUSE TREATMENT LDR NOTICE: WILL MONITOR FOR ALL 216 REGULATED CONSTITUENTS PRIOR TO DISPOSAL.

TO: SAFETY-KLEEN CORP. (DESIGNATED FACILITY)

EPA ID NO. WAD980738516
(DESIGNATED FACILITY)ADDRESS: 3200 6th Ave S.
Seattle WA 98124

Under manifest/sales service number

the generator noted below is shipping to you a waste determined to

be restricted under 40 CFR Part 268. In accordance with 40 CFR Part 268.7, the generator hereby provides notice that the waste is restricted from land disposal.

A copy of this form must be kept by the generator and facility for five (5) years from the date of waste shipment.

PLEASE THE APPROPRIATE BOXES	WASTE NAME (FOR NON-WASTE WATER)	WASTE CODE	THE WASTE MAY CONTAIN THE FOLLOWING RESTRICTED CONSTITUENTS			TREATMENT STANDARD OR METHOD	
	<input type="checkbox"/> Waste Petroleum Naphtha 105	D001 D006 D008 D018 D035 D039 D040	Ignitable Liquid (High TOC Subcategory) Halogenated Organic Compounds (HOC's) ≥ 1000 mg/l Cadmium Lead Benzene Methyl Ethyl Ketone Tetrachloroethylene Trichloroethylene	COMBUSTION (CMBST) or recovery (RORGS) (40 CFR 268.42) (non-waste water) 1.0 (non-waste water) MG/L 5.0 (non-waste water) MG/L 10 (non-waste water) MG/KG 36 (non-waste water) MG/KG 6.0 (non-waste water) MG/KG 6.0 (non-waste water) MG/KG			
<input checked="" type="checkbox"/> Waste Petroleum Naphtha 140	D001 D006 D008 D018 D039	Ignitable Liquid (High TOC Subcategory) Cadmium Lead Benzene Tetrachloroethylene	CMBST, or RORGS (40 CFR 268.42) (non-waste water) 1.0 (non-waste water) MG/L 5.0 (non-waste water) MG/L 10 (non-waste water) MG/KG 6.0 (non-waste water) MG/KG				
<input type="checkbox"/> Actrel Solvent (If customer specific TCLP is not available)	D006 D008 D018 D039 D040	Cadmium Lead Benzene Tetrachloroethylene Trichloroethylene	1.0 (non-waste water) MG/L 5.0 (non-waste water) MG/L 10 (non-waste water) MG/KG 6.0 (non-waste water) MG/KG 6.0 (non-waste water) MG/KG				
<input type="checkbox"/> Aqueous Parts Washer	D006 D008	Cadmium Lead	1.0 (non-waste water) MG/L 5.0 (non-waste water) MG/L				
<input checked="" type="checkbox"/> 150 Premium Solvent	D008 D018 D039 D040	Lead Benzene Tetrachloroethylene Trichloroethylene	5.0 (non-waste water) MG/L 10 (non-waste water) MG/KG 6.0 (non-waste water) MG/KG 6.0 (non-waste water) MG/KG				
<input type="checkbox"/> AQUEOUS BRAKE CLEANER	D006 D039	Cadmium Tetrachloroethylene	1.0 (non-waste water) MG/L 6.0 (non-waste water) MG/KG				
<input type="checkbox"/> Waste Petroleum Naphtha (sludges from Safety-Kleen Service Center Operations)	D001 D006 D008 D039 D040	Ignitable Liquid (High TOC Subcategory) Cadmium Lead Tetrachloroethylene Trichloroethylene	CMBST, or RORGS (40 CFR 268.42) (non-waste water) 1.0 (non-waste water) MG/L 5.0 (non-waste water) MG/L 6.0 (non-waste water) MG/KG 6.0 (non-waste water) MG/KG				
<input type="checkbox"/> Photo Imaging	D011	Silver	5.0 (non-waste water) MG/KG				
<input type="checkbox"/> Waste Compound Cleaning Liquid/ Immersion cleaner 699	D006 D008 D018 D027 D039 D040	Cadmium Lead Benzene 1, 4-Dichlorobenzene Tetrachloroethylene Trichloroethylene	1.0 (non-waste water) MG/L 5.0 (non-waste water) MG/L 10 (non-waste water) MG/L 6.0 (non-waste water) MG/KG 6.0 (non-waste water) MG/KG 6.0 (non-waste water) MG/KG				
<input type="checkbox"/> Waste Gasoline Filters	D001 D018	Ignitable Liquid (High TOC Subcategory) Benzene	CMBST, or RORGS (40 CFR 268.42) (non-waste water) 10 (non-waste water) MG/KG				

MACHINE NUMBER	SPECIFIC GRAVITY	EXCESS FLUID IN DRUM? (MS>2/3)(C>1/3)(Y/N)	OFF-COLOR? (Y/N)	MORE THAN 30% SOLIDS? (Y/N)	UNUSUAL ODOR? (Y/N)	UNUSUAL MATERIALS INCLUDED/ADDED? (Y/N)

SPECIFIC GRAVITY
ACCEPTANCE GUIDELINES

SALES REPRESENTATIVE SIGNATURE

(FOR OPTIONAL STATE INFORMATION)

The constituent composition is based on knowledge of the waste (via Material Safety Data Sheets for the chemical(s) used, and the process which created the waste).

*These treatment standards do not preclude reclamation prior to final disposition.

Generator Company

EPA ID NO.:

Safety-Kleen Corp. manages the above waste through its recycling and fuels programs in accordance with all applicable elements of the land disposal restriction.

FORM 1339 (1/96)

AKC-0017295